Product data sheet

Document Version 2020-10-26

Charmor™ DP40

Win more time for people and structures

Product Description

Charmor™ DP40 is a carbon donor for intumescent coating systems. It has a controlled and narrow particle size distribution, allowing customization of the intumescent system performance. Charmor™ DP40 with a particle size below 40 microns creates a compact stable foam structure with robust properties suitable for turbulent fire conditions.

Charmor™ DP40 has a very low water solubility and the lowest melting point of all the Charmor™ grades. It is a polyhydric alcohol containing six primary hydroxyl groups, milled into small controlled particle size.

Segment Applications

For passive fire protecting systems / intumescent coating systems

Delivery Forms

Bags 20 kg, 500 kg/pallet Big Bags 500 kg





Product data sheet

Document Version 2020-10-26

Charmor™ DP40

Win more time for people and structures

Sales Specification

| Characteristics | Unit | Specification | Analytical Method ¹ | Comment |
|----------------------------|----------|---------------|-----------------------------------|---------|
| Di-Pentaerythritol content | % | Min. 90 | PO 115-3 | |
| Hydroxyl number | mg KOH/g | 1310 - 1340 | PO 100-2 | 2 |
| Particle size < 40 µm | % | Min. 98.0 | PO 125-6 | |

^{1.} Analytical methods are available on request

General Characteristics

| Characteristics | Unit | Typical Value ¹ |
|-----------------------------|----------|----------------------------|
| Water content | % | 0.1 |
| Melting point | °C | 222 |
| Water solubility (25 °C) | % | 0.22 |
| Oil absorption number (OAN) | ml/100 g | 45 |

^{1.} Typical values are for information only and not part of sales specification

Handling and Storage

Charmor™ DP40 is a non-hygroscopic product however it should be stored under dry conditions, in sealed bags and protected for direct sunlight. Avoid handling that forms dust clouds.

CAS No.: 126-58-9 HS No.: 2909 49

EC (EINECS) no.: 204-794-1

REACH registration No.: 01-2119473984-22-XXXX

Effective date: October 26, 2020

USERS ARE ADVISED TO MAKE THEIR OWN INDEPENDENT DETERMINATION OF THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE. EXCEPT FOR WHAT IS STATED IN PERSTORP'S GENERAL CONDITIONS OF SALE OR SEPARATELY IN A WRITTEN CONTRACT WITH PERSTORP, NO INFORMATION PROVIDED IN THIS DATA SHEET CONSTITUTES A WARRANTY (EXPRESS OR IMPLIED) BY PERSTORP, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.



^{2.} As OH-percentage, 39.7-40.6 %