

# Curalite™ Ox



## Description

- Curalite™ Ox
- Reactive groups: 1 hydroxyl, 1 oxetane
- 3-ethyl-3-oxetanemethanol
- Oxetane monoalcohol
- Clear colourless liquid
- Molecular weight of 116 g/mole

## Applications

- Reactive diluent for cationic radiation curing
- Chemical building block

## Delivery forms

- IBC 1000 kg
- Steel drums 200 kg, 800 kg/pallet

## Storage

- Curalite™ Ox is hygroscopic and should be handled to prevent moisture absorption.
- Store in cool, dry place in tightly closed receptacles.

## Sales specification

Purity, % <sup>1</sup>	Min. 98.0
Hydroxyl number, mg KOH/g <sup>2</sup>	475-495
Water content, % <sup>3</sup>	Max. 0.1

## Typical properties

Colour, APHA <sup>4</sup>	10
Viscosity at 20 °C, mPas <sup>*</sup>	27

\* Information only

Analytical Method

<sup>1</sup> PO 145-1, <sup>2</sup> PO 100-16, <sup>3</sup> PO 109-10, <sup>4</sup> PO 105-4

Analytical methods are available on request

CAS no.: 3047-32-3

EC (EINECS) no.: 221-254-0

HS no.: 2932 99